

From Ring to DREAM

Mariëtte Malherbe – IPM, Clinical Support Manager

MTN Regional Meeting – Plenary Meeting 19 September 2017



Overview From Ring to DREAM

- Women's Vulnerability to HIV
- Women Need Multiple Options
- Dapivirine Vaginal Ring
 - o The Ring Study Status
 - o DREAM Status

The Regulatory Pathway for The Ring

- Regulatory Pathway
- Next Steps for Dapivirine Vaginal Ring
- Future Prospects
- Conclusion



2

Women's "Vulnerability" to HIV



Gender inequities, including gender-based and intimate partner violence

- Condom use can be difficult to negotiate
- Financial dependence on male partners

Young women at higher risk

- Early marriage, intergenerational sex and concurrent partnerships
- Limited access to SRH information and health services

Higher male-to-female transmission

NO ONE OPTION WILL SATISFY ALL WOMEN

Women-initiated technologies

• a key component of a comprehensive prevention package

New and multiple mechanisms of action

• could help reduce chance of acquiring drug-resistant HIV



ITERNATIONAL PARTNERSHIP FOR MICROBICIDES

Dapivirine Vaginal Ring

Dapivirine

- Dapivirine licensed to IPM in 2004 from Janssen Sciences Ireland UC; expanded to exclusive worldwide rights in 2014
- NNRTI blocks ability of HIV-1 to replicate inside healthy cells


Dapivirine Vaginal Ring

- IPM regulatory sponsor
- IPM developed and manufactured the first dapivirine ring
 - Flexible silicone matrix ring
 - Long-acting: self-inserted every 4 weeks
 - Slowly releases drug into vaginal tissue
 - Acceptable to women and their male partners



TERNATIONAL PARTNERSHIP FOR MICROBICIDES

Clinical Development Plan *Dapivirine Vaginal Ring-004*



Ring to DREAM

IPM 027: The Ring Study

A MULTI-CENTRE, RANDOMISED, DOUBLE-BLIND, PLACEBO-CONTROLLED SAFETY AND EFFICACY TRIAL OF A DAPIVIRINE VAGINAL MATRIX RING IN HEALTHY HIV-NEGATIVE WOMEN

IPM 032: DREAM

A FOLLOW-ON, OPEN-LABEL TRIAL TO ASSESS CONTINUED SAFETY OF AND ADHERENCE TO THE DAPIVIRINE (25 mg) VAGINAL RING-004 IN HEALTHY, HIV-NEGATIVE WOMEN

Preloping HIV nevention	IPM 027				IPM 027 (n=1959)	IPM 032		
	Screened	Enrolled	Completed	DREAM Dapivirine Ring Extended Access and Monitoring	Eligible	Screened	Enrolled	Ongoing
South Africa and Uganda*:7 Research Centres	3425	1959	1161	South Africa and Uganda*: • 6 Research Centres	1731 at 7 RCs	1002	893	853

31% reduction CI: 0.9%; 51.5% p=0.041

- 77 out of 1300 women acquired HIV-1 in dapivirine ring group 4.1% HIV-1 incidence/100 PY
- 56 out of 650 women acquired HIV-1 in placebo ring group 6.1% HIV-1 incidence/100 PY



International Partnership for Microbicides

Role over visits lessons learned

150 participants rolled over directly from The Ring Study to DREAM

- Not to repeat visit procedures
- Not to repeat samples
- Correctly label samples for the corresponding protocol
- Complete correct procedures per protocol
- Engage with staff to ensure that DREAM is seen as a new protocol and not an extension of The Ring Study



Screening Failures:

Main Reasons

Main Reasons

- Positive HIV Status
- Unavailable for all visits
 - Currently pregnant, intends to become pregnant or breast-feeding
 - Contraception non-use

Declining Trial Participation:

- Family influences
 - Working / School / Studies
 - Planning a family / getting married
 - Relocation
 - Not interested



ernational artnership for Microbicides





Dapivirine Ring Extended Access and Monitoring

Retention: 90.4%



Approximately 10 months after start up



PARTNERSHIP FOR MICROBICIDES

Value of Adherence Events

- Sexual and reproductive health discussions are very important to women
- Received feedback from participants on topics they want to engage on - this differs between age groups
- Girl talk facilitates discussion on issues affecting them directly
- Participants enjoy facilitating their own events (take ownership)
- Participants enjoy events held outside of research centre e.g. in a park
 - Informal discussions make it easy for participants to interact especially in an informal setting



Value of Male engagement events

Male engagement is not an activity, but a process

- Prefer to be engaged in their own space
 - Males are more engaged through informal activities such as sport, at a tavern and or car wash spots
- To be engaged on what their female counterparts are doing, especially issues concerning sex and sexual reproductive health
- Improved relations with other male formations such as, Brothers for Life, Men's Sector, One Men Can, etc.



Adherence Messages

"Support the Ring, support future generations" (MRC/UVRI)

"Ring for all occasions" (MCR)

"If you love her ring her" (Ndlovu)

"Developing the heritage of an HIV free future generation for women through the Dapivirine Ring" (QM) "With women supporting each other incredible things happen" (MatCH)

"Springing into Spring with the Ring" (DTHF)

INTERNATIONAL PARTNERSHIP FOR MICROBICIDES