

Section Appendix 13-2

BEHAVIORAL MEASURES - ENGLISH

Introduction

Section I: Baseline behavioral questionnaire

Table of Contents

Section:	Title:	Pages:
A	DEMOGRAPHICS	5-6
B	SEXUAL BEHAVIOR	7-13
C	VAGINAL & RECTAL DOUCHES, LUBRICANTS, AND OTHER PRODUCTS	14-15
D	LUBRICANT USE	16-18
E	SUBSTANCE USE & HIV TESTING	19-20
F	LIKELIHOOD OF USING MICROBICIDE	21
G	PLEASURE	22-23

PROGRAMMER: TEXT IN CAPITAL LETTERS SHOULD NOT BE PRESENTED TO THE PARTICIPANT.

Study Staff enter:

Study Site ID: _____

Participant ID

--	--	--	--

Date

____	/	____	/	_____
MM		DD		YYYY

Thank you for agreeing to complete this questionnaire. Your responses will be kept confidential. To keep the information you provide private, personal information (name, address, phone number) will NOT be collected in this questionnaire. Before you begin, there are a few practice questions for you to get used to how the system works. If you have any questions on how to use the computer, the clinic staff can assist you.

If you prefer not to respond to a question, you may leave a question blank and click the "NEXT" button to go to the next question.

Click the "NEXT" button to go to the next screen.

Introduction [Page 2]

Good! You can always move to the next screen by clicking "next", or, to go to the previous screen, click "back."

Click the "NEXT" button to go to the next screen.

Practice [Question 1]

This question shows how to answer questions with click boxes. Try answering the question below by moving the mouse arrow and clicking on boxes that match your choices.

PRACTICE QUESTION:

Which items do you like to eat on a salad? *Choose all that apply.*

[Answer options]

Eggs
Cheese
Croutons
Salad Dressing
Carrots
Bacon bits

This is an example of a question where more than one answer is allowed:

If you want to change your response, click the response you don't want again to de-select it and then select the answer(s) you do want.

Practice [Question 2]

Do you like summer?

Yes
No


This is an example of a single response question:

If you want to change your response, simply click the response you want.

Practice [Question 3]

This screen is the last question type in this interview, and involves clicking on the point in the scale that most closely matches how you feel. Use the mouse to move the arrow to the desired place on the scale, and then click to make your choice.

PRACTICE QUESTION:
How thick do you like soup to be?



Ok. If you had any problem answering the prior questions, let the study staff know about it.
Otherwise, click "NEXT" and proceed with the first questionnaire.

SECTION A. DEMOGRAPHICS

1. How old are you? _____ (In years) [18-65]

[IF Q 1 > 24, PRESENT PROMPT "I want to confirm your age. You entered XX. Is that correct?" IF NO, THEN PROMPT TO REENTER AGE IN Q 1]

2. Please indicate the highest education level you achieved

1. ☐ eighth grade or lower
2. ☐ partial high school
3. ☐ high school graduate
4. ☐ partial college
5. ☐ college graduate
6. ☐ partial graduate school
7. ☐ graduate school degree

3. Do you consider yourself...

- _____ 1. Hispanic or Latina? [SKIP TO Q 5]
_____ 2. Not Hispanic or Latina?

4. Do you consider yourself...

1. ☐ African-American or Black
2. ☐ Asian or Pacific Islander
3. ☐ White or European American
4. ☐ Native American
5. ☐ Other

5. Do you consider yourself ...

- _____ 1. Lesbian/gay/homosexual?
_____ 2. Bisexual?
_____ 3. Straight/heterosexual?
_____ 4. Undecided
_____ 5. Other

6. Are you ...

1. working full time
2. working part-time
3. on disability
4. not working

7. Are you ...

1. in school full time
2. in school part-time
3. on vacation now but in school
4. not in school at all now

8. Please check what describes who you live with now...

1. You live alone in an apartment or house
2. You live alone in a dormitory
3. You live with a partner or spouse
4. You live with parent(s) or other family members
5. You live with friends and/or roommates
6. You are homeless or do not have a regular place to live now

9 What is your total **personal** income before taxes from all sources per month or per year?

Please select if you would like to answer this question for the past month or the past year...

Month: _____

Year: _____

SECTION B. SEXUAL BEHAVIOR

Let's briefly go over the definitions of some terms so that you understand what is being asked.

When I say:	I mean:
Vaginal Sex:	When a man or boy inserts his penis into your vagina.
Receptive Anal Sex:	When a man or boy puts his penis into your anus (or butt).
Receiving Oral Sex:	When a partner puts his or her mouth or tongue on your vagina, or anus (or butt).
Giving oral sex	When you put your mouth or tongue on your partner's penis, vagina or anus (or butt).

10. How old were you the first time you had vaginal sex? If you have never had vaginal sex, put "0" as your response.

11. How old were you the first time you had anal sex? If you have never had anal sex, put "0" as your response. [IF Q 11 = 0, SKIP Q 22 - 24b_3]

12. How old were you the first time you gave someone oral sex? If you have never given oral sex, put "0" as your response. [IF Q 12 = 0, SKIP Q 27]

13. How old were you the first time you received oral sex? If you have never gotten oral sex, put "0" as your response. [IF Q 13 = 0, SKIP Q 28]

AGE MUST BE <= AGE AT TIME OF INTERVIEW (Q#1). IF AGE ENTERED IS > AGE AT TIME OF INTERVIEW (Q#1) SHOW PROMPT, "You have entered an invalid age. Please re-enter." IN ADDITION, PROGRAM A SOFT RANGE CHECK SO ANY RESPONSE >0 AND <10 RECEIVES PROMPT THAT READS, "I want to confirm the age that you first had vaginal or anal or oral sex. You entered _____. Is that correct?"

Now I am going to ask you about your sexual partners. By sexual partner I mean someone who you've had vaginal or anal sex with.

14. Think about all the male partners you have had sex with in your lifetime. In your whole lifetime, how many different male partners have you had sex with, either vaginal or anal?

15. Think about all the female partners you have had sex with in your lifetime. In your whole lifetime, how many different female partners have you had sex with, either vaginal or anal?

ACCEPTABLE RANGE FOR (Q#14) IS 1 – 10,000 BUT INCLUDE SOFT RANGE CHECK FOR ANY RESPONSE >100. PROMPT SHOULD READ, “I want to confirm the number of different partners that you have had sex with in your lifetime. You have entered _____. Is that correct?” IF RESPONSE IS 0 SHOW PROMPT THAT READS, “You have entered an invalid number. Please re-enter.”

Now I'd like you to take a moment to think back about your sex life during the past 90 days. [INSERT TIMELINE REMINDER HERE] — that is, since [DATE]. I'm going to ask you some questions about the sex you have had during that period.

PROGRAM TO CALCULATE DATE OF 90 DAYS PRIOR TO INTERVIEW DATE AND INSERT AS NEEDED.

16. How many male partners have you had vaginal sex with in the past 90 days, that is since [DATE]?

ACCEPTABLE RANGE FOR Q#16 IS 0 – 10,000, BUT INCLUDE SOFT RANGE CHECK FOR ANY RESPONSE >100. IF RANGE FAILURE, SHOW PROMPT THAT READS, “I want to confirm the number of different partners that you have had sex with in the past 90 days. You have entered _____. Is that correct?”

17a. How many times did a male partner put his penis in your vagina in the past 90 days, that is since [DATE]?

17b. How many times did a male partner put his penis in your vagina without a condom in the past 90 days, that is since [DATE]?

18. How many different male partners put their penises in your vagina without a condom in the past 90 days, that is since [DATE]?

. IF Q 18 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 20. IF Q 18 = 1, ASK Q 19 AND SKIP Q 20

You said that one partner put his penis in your vagina without a condom.

19. Regarding this partner (please select one answer).....

- ____ a. This partner told you he was HIV negative and you had no reason to doubt it.
- ____ b. You knew this partner was HIV positive.

___ c. You were not completely sure of this partner's HIV status.

You said ___ men [INSERT THE NUMBER FROM Q 18] put their penises in your vagina without a condom. (If this number is incorrect, please click on the "BACK" button and change your previous answer.)

Of those men...

20_1. how many had actually told you they were HIV-negative and you had no reasons to doubt it?

20_2. how many do you know to be HIV-positive?

20_3. how many were you NOT completely sure of their HIV status?

[NOTE: NUMBERS FOR THE PREVIOUS THREE QUESTIONS ARE BASED ON THE WAY VARIABLES WILL BE LISTED IN THE DATA OUTPUT FILE. THEREFORE QUESTION # 21 DOES NOT EXIST.]

IF Q 11 = 0, SKIP Q 22 - 24

22. Now I'd like to ask you about receptive anal sex. Remember, by receptive anal sex, I mean when a man or boy puts his penis inside your anus or butt. During the past 90 days, did you have receptive anal sex with any male partners?

- 0. No
- 1. Yes

22a. How many male partners put their penises in your anus or butt during the past 90 days?

23a. How many times did a male partner put his penis inside your anus or butt during the past 90 days, that is since [DATE]?

23b. How many times did a male partner put his penis inside your anus or butt without a condom during the past 90 days?

24. How many different male partners put their penises in your anus or butt without a condom during the past 90 days?

IF Q 24 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 24b. IF Q 24 = 1, ASK Q 24a AND SKIP Q 25
--

You said that one partner put his penis in your anus or butt without a condom.

24a. Regarding this partner (please select one answer)....

- ☐ a. This partner told you he was HIV negative and you had no reason to doubt it.
- ☐ b. You knew this partner was HIV positive.
- ☐ c. You were not completely sure of this partner's HIV status.

You said ___ men [INSERT THE NUMBER FROM 24] put their penises in your anus or butt without a condom. (If this number is incorrect, please click on the "BACK" button and change your previous answer.)

Of those men...

24b_1. how many had actually told you they were HIV-negative and you had no reasons to doubt it?

24b_2. how many do you know to be HIV-positive?

24b_3. how many were you NOT completely sure of their HIV status?

25. Still thinking about the past 90 days, I want to ask you some questions about all of the male partners that you had sex with, either vaginal or anal, during that period. First, during the past 90 days did you ever ask a partner to use a condom?

- 0. No
- 1. Yes

IF Q 25 = 0, SKIP TO Q 27

26. Did any of your partners refuse to use a condom when you asked them?

- 0. No
- 1. Yes

IF Q 12 = 0, SKIP Q 27

27. Now I'd like to ask you about giving oral sex. By giving oral sex I mean when you put your mouth or tongue on your partner's penis, vagina or anus (or butt). During the past 90 days, did you have oral sex with any of your partners, either male or female?

- 0. No
- 1. Yes

IF Q 13 = 0, SKIP Q 28 AND GO TO INSTRUCTIONS ABOVE Q 29

28. Now I'd like to ask you about receiving oral sex. By receiving oral sex I mean when your partner puts his or her mouth or tongue on your vagina, or anus (or butt). During the past 90 days, did you receive oral sex from any of your partners?

- 0. No
- 1. Yes

PARTNER DATA

The next set of questions is about your most recent sex partner(s). You are going to be asked some questions about these partners. Let's briefly go over the definitions of some terms so that you understand what is being asked.

A main male partner is someone that you have sex with and you consider this person to be a person that you are serious about. A main partner is someone with whom you have an ongoing relationship and who you have sex with often - like a spouse, lover, or boyfriend.

A casual male partner is someone that you have sex with two or more times but do not consider this person to be a main partner to you. A casual partner is someone with whom you have sex occasionally on a casual basis.

A one-time male partner is someone with whom you had sex one time and don't plan to have sex with again.

29. How many main male partners have you had in the past 90 days? If you did not have a main partner, put "0" as your response.

30. How many casual male partners have you had in the past 90 days? If you did not have a casual partner, put "0" as your response.

31. How many one-time male partners did you have in the past 90 days? If you did not have a one-time partner, put "0" as your response.

32. Thinking about the male person with whom you most recently had sexual intercourse, is this partner:

1. A main partner
2. A casual partner
3. A one-time partner

THE FOLLOWING QUESTIONS WILL BE ASKED FOR MOST RECENT MAIN PARTNER. IF Q 29 = 0, SKIP Q 33 THROUGH Q 39.

MAIN PARTNER

You indicated that you currently have or that you have had a main partner in the past 90 days. The following set of questions will ask about your most recent male main partner.

33. How old is or how old was this most recent main partner at the time you were together?

AGE

Don't Know/Unsure.....99

ACCEPTABLE AGE RANGE IS 01-99. IF RANGE FAILURE, SHOW PROMPT THAT READS, "I want to confirm the age of your most recent main partner. You have entered _____. Is this correct? IF AGE ENTERED IS 0 SHOW PROMPT THAT READS, "You have entered an invalid age. Please re-enter." ALSO ADD A SOFT RANGE CHECK TO CONFIRM ANY AGES <10 OR >40.

34. What is this most recent main partner's racial/ethnic background?

- ___ 1. Asian/Pacific Islander
- ___ 2. Black/African American
- ___ 3. Native American/Alaskan Native
- ___ 4. Hispanic/Latino
- ___ 5. White
- ___ 6. Other or mixed race

35. How many times did you have sex, either vaginal or anal sex, with this most recent main partner during the last 90 days?

FIELD SHOULD ALLOW A FOUR-DIGIT NUMBER, BUT PROGRAM A SOFT RANGE CHECK WITH RANGE FAILURE FOR ANY RESPONSE OVER 300. IF RANGE FAILURE, SHOW PROMPT THAT READS, "I want to confirm the number of times you had sex, either vaginal or anal sex, with this most recent main partner. You entered _____. Is that correct?"

36. Of those times [INSERT NUMBER FROM Q35 ABOVE] how many times did you use a condom with this most recent main partner?

37. The last time you had sex with this most recent main partner, what did you use to keep from getting pregnant? Choose all that apply.

- ___ 1. Condoms
- ___ 2. Pill
- ___ 3. Depo-Provera shot
- ___ 4. Norplant or Implanon
- ___ 5. Withdrawal
- ___ 6. Ortho Patch
- ___ 7. Ring
- ___ 8. Rhythm
- ___ 9. IUD (e.g., Mirena® or Copper T)
- ___ 10. Nothing
- ___ 11. Other

38. Did you ask this most recent main partner whether he had been tested for HIV, or did this partner tell you that he had been tested for HIV?

- 0. No
- 1. Yes

IF Q 38 = 0, SKIP Q 39

39. What were your partner's test results?

- ☐ 1. HIV positive
 - ☐ 2. HIV negative
 - ☐ 3. Partner did not tell me test results
 - ☐ 4. Partner did not go back for test results
-

SECTION C. VAGINAL DOUCHES, LUBRICANTS, AND OTHER PRODUCTS (Name of products will be tailored to study site)

The next set of questions is about vaginal products.

40. Have you ever used a tampon?
0. No [GO TO Q 42]
1. Yes
41. Have you used tampons with applicators, without applicators, or both?
a. with applicators
b. without applicators
c. both
42. Have you ever used a cervical cap?
0. No
1. Yes

Please indicate if you have ever used any of the following products:

43. Dessicants, that is, anything to make your vagina dry or tight, such as Tight Stuff
0. No
1. Yes
44. Female condoms, also called "Reality®"
0. No
1. Yes
45. Vaginal moisturizers or sex lubricants, such as Lubrin, Replens, Moist Again, or KY jelly or liquid
0. No
1. Yes
46. Medications for yeast infections that you put in your vagina such as Monistat, Femstat, or Gyne-Lotrimin
0. No
1. Yes
47. Spermicides, that is, a foam, gel, film, suppository, or cream that kills sperm and prevents pregnancy
0. No
1. Yes

The following questions refer to use of vaginal douches.

48. Have you ever used a vaginal douche? By vaginal douche we mean something you use to squirt a liquid into your vagina.
0. No [GO TO NEXT SECTION (Q 52)]
1. Yes

49. How many times did you douche vaginally in the past 3 (three) months?

___ ___ ___ [IF '0,' GO TO NEXT SECTION (Q 52)] [0-999]

50. Of the times you douched in the past 3 months, how many times did you douche... [Indicate all that apply] [1-999]

- a. for general hygiene ___ ___
- b. in preparation for sex ___ ___
- c. after sex ___ ___
- d. for pleasure ___ ___
- e. after your period was finished ___ ___
- f. while you were bleeding from your period ___ ___
- g. because your vagina felt itchy or uncomfortable ___ ___
- h. other ___ ___

51. When you douched in the past 3 (three) months, how many times did you use... [Indicate all that apply] [1-999]

- a. A hand-held hose or bidet ___ ___
 - b. Over-the-counter disposable douche product
(e.g., Massengill® or Summer's Eve®) ___ ___
 - c. Re-usable bottle system ___ ___
 - d. Water and vinegar ___ ___
 - e. Other ___ ___
-

SECTION D. LUBRICANT USE FOR SEX

The following questions refer to commercial sexual lubricants. This does not include saliva or the lubricant that comes with condoms but is lubricant you bought over the counter or in a store.

52. Have you ever used a commercial lubricant during vaginal intercourse?
0. No [SKIP TO Q 66]
1. Yes
53. During the past 3 months, how frequently have you had vaginal intercourse using a commercial sexual lubricant?
_____ 0 Never [SKIP to Q 66]
_____ 1 Sometimes
_____ 2 Always
54. What types of lubricant have you used? [Indicate all that apply]
_____ 1 Silicon-based (e.g., Eros)
_____ 2 Water-based (e.g., KY, Wet)
_____ 3 Oil-based (e.g., Crisco)
55. Where do you usually get your lubricant from?
_____ 1 Sex shop
_____ 2 Pharmacy/drug store
_____ 3 AIDS Agency
_____ 4 Bar, disco, sex club
_____ 5 Online
_____ 6 Other
56. Do you prefer a lubricant with ...
_____ 0 No flavor
_____ 1 Flavor
_____ 2 It doesn't matter
57. Do you prefer a lubricant with ...
_____ 0 No color/transparent
_____ 1 Color
_____ 2 It doesn't matter
58. Do you prefer a lubricant with ...
_____ 0 No smell
_____ 1 Smell
_____ 2 It doesn't matter
59. In terms of commercial lubricant consistency, what do you prefer?
- | | | | | |
|-------------|-----------------|---------|----------------|------------|
| 0 | 1 | 2 | 3 | 4 |
| • | • | • | • | • |
| Very liquid | Somewhat liquid | Neither | Somewhat thick | Very thick |

60. Describe the ideal type of dispenser for a lubricant.
- ☐ 1 Tube (like toothpaste or KY®)
 - ☐ 2 Pump (like in Vaseline Intensive Care® or Wet®)
 - ☐ 3 Containers with pop-up covers
 - ☐ 4 Can or jar
 - ☐ 5 Single use
 - ☐ 6 Disposable tube
 - ☐ 7 Other
61. In general when you have vaginal intercourse, is the lubricant applied...[Indicate all that apply]
- ☐ 1 Directly on your partner's penis?
 - ☐ 2 On the outside of your vagina?
 - ☐ 3 Inside your vagina?
 - ☐ 4 Inside the condom?
 - ☐ 5 On the outside of the condom?
 - ☐ 6 Other
62. When you are having vaginal intercourse, who applies the lubricant?
- ☐ 0 Self
 - ☐ 1 Partner
 - ☐ 2 Both
63. When is the lubricant first applied?
- ☐ 0 Before there is any sexual contact
 - ☐ 1 During sex but before he penetrates you
 - ☐ 2 After he first penetrates you if you feel the need for it
64. How frequently do you usually reapply the commercial lubricant during intercourse?
- ☐ 0 Never
 - ☐ 1 Once
 - ☐ 2 Twice
 - ☐ 3 3 times or more
65. From your past experience, does the application of the lubricant interrupt sex?
- ☐ 0 It does not interrupt sex
 - ☐ 1 It interrupts sex but does not bother me
 - ☐ 2 It interrupts sex and bothers me

IF Q11 = 0 (NEVER HAD ANAL INTERCOURSE), SKIP TO NEXT SECTION (Q 72).

66. Have you ever used a commercial lubricant during anal intercourse?
- 0. No [SKIP TO NEXT SECTION (Q 72)]
 - 1. Yes

67. What types of lubricant have you used? [Indicate all that apply]
- ☐ 1 Silicon-based (e.g., Eros[®])
 - ☐ 2 Water-based (e.g., KY[®], Wet[®])
 - ☐ 3 Oil-based (e.g., Crisco[®])
68. Describe the ideal type of dispenser for a lubricant.
- ☐ 1 Tube (like toothpaste or KY[®])
 - ☐ 2 Pump (like in Vaseline Intensive Care[®] or Wet[®])
 - ☐ 3 Containers with pop-up covers
 - ☐ 4 Can or jar
 - ☐ 5 Single use
 - ☐ 6 Disposable tube
 - ☐ 7 Other
69. In general when you have anal intercourse, is the lubricant applied...[Indicate all that apply]
- ☐ 1 Directly on your partner's penis?
 - ☐ 2 Around your anus (rim)?
 - ☐ 3 Inside your anus?
 - ☐ 4 Inside the condom?
 - ☐ 5 On the outside of the condom?
 - ☐ 6 Other
70. When you are having anal intercourse, who applies the lubricant?
- ☐ 0 Self
 - ☐ 1 Partner
 - ☐ 2 Both
71. When is the lubricant first applied?
- ☐ 0 Before there is any sexual contact
 - ☐ 1 During sex but before he penetrates you
 - ☐ 2 After he first penetrates you if you feel the need for it
-

SECTION E. SUBSTANCE USE & HIV TESTING HISTORY

The following questions refer to alcohol and drug use. Now I will show you a list of different drugs.

GO DOWN "A" COLUMN FIRST. IF "0" FOR ANY SUBSTANCES, SKIP B FOR THOSE PARTICULAR SUBSTANCES. USE THE FOLLOWING RESPONSE CHOICES:

- 0 = Never/none
- 1 = Once a month or less
- 2 = 2-3 times a month
- 3 = About once a week
- 4 = 2-6 times a week
- 5 = About once a day
- 6 = More than once a day

A. During the last 90 days, how often have you used [INSERT SUBSTANCE]

B. Of those times during the past 90 days, how often have you used [INSERT SUBSTANCE] immediately before or during sexual intercourse?

	[A] Number of times used PAST 3 MONTHS	[B] Number of times used before or during SEX PAST 3 MONTHS
72. Alcohol (beer, wine, liquor)?		
73. Marijuana/hashish/Pot/Weed?		
74. Ecstasy/MDMA?		
75. Crystal Meth/Amphetamines/ Methamphetamines/Speed/Crank/ Ice?		
76. Ketamine/Special K?		
77. GHB (Gamma Hydroxybutyrate)?		
78. Other Hallucinogens/LSD/ Mushrooms?		
79. Poppers/Amyl Nitrite/Butyl Nitrite?		
80. Crack?		
81. Cocaine (not Crack)?		
82. Heroin?		
83. DELETED		

84. Other pharmaceutical drugs not prescribed to you by a physician (Percocet or similar drugs?		
---	--	--

85. Thinking about the times you used alcohol during the last 90 days, how much did you typically use?


- ☐ 0. Too little to feel any effect
- ☐ 1. Enough to feel it a little
- ☐ 2. Enough to feel it a lot
- ☐ 3. Enough to get drunk
- ☐ 4. Enough to feel like you might pass out

86. How many times in total have you been tested for HIV? If never, enter 0.


SECTION F. LIKELIHOOD OF USING MICROBICIDE IN THE FUTURE

Scientists are trying to develop alternatives to condoms for the prevention of HIV transmission during intercourse. In this study, we are interested in gels, and enemas or douches.


87. If a vaginal microbicide were available that provided some protection against HIV, and it was a gel, how likely would you be to use it every time you have vaginal intercourse?




88. If a rectal microbicide were available that provided some protection against HIV, and it was a gel, how likely would you be to use it every time you have anal intercourse?



89. If using a vaginal douche before having intercourse provided some extra protection against HIV, how likely would you be to give yourself a vaginal douche prior to every time you have vaginal intercourse?



90. If using an enema before having anal intercourse provided some extra protection against HIV, how likely would you be to give yourself an enema prior to every time you have anal intercourse?



SECTION G. PLEASURE

Please read the following list of sexual behaviors and indicate **how much you would like doing each behavior WITH MEN if it were not for AIDS**. Please answer each question regardless of whether you have ever done it or plan to do it in the future.

	Dislike very much	Dislike somewhat	Dislike slightly	Like slightly	Like somewhat	Like very much
91. Having vaginal intercourse WITHOUT a condom	1	2	3	4	5	6
92. Having vaginal intercourse WITH a condom	1	2	3	4	5	6
93. Having your partner ejaculate inside your vagina WITHOUT a condom	1	2	3	4	5	6

Please indicate:

94. How much do condoms interfere with your sexual satisfaction when you are penetrated vaginally?

1—2—3—4—5—6—7—8—9—10
Not at all A lot

IF Q11 = 0 (NEVER HAD ANAL INTERCOURSE), SKIP Q 95 - 98 and END QUESTIONNAIRE HERE. "You have completed the interview. Thank you."

Please indicate **how much you would like doing each behavior WITH MEN if it were not for AIDS**. Please answer each question regardless of whether you have ever done it or plan to do it in the future. [ALLOW ONLY ONE ANSWER PER QUESTION.]

	Dislike very much	Dislike somewhat	Dislike slightly	Like slightly	Like somewhat	Like very much
95. Having anal intercourse WITHOUT a condom	1	2	3	4	5	6
96. Having anal intercourse WITH a condom	1	2	3	4	5	6
97. Having your partner ejaculate inside your rectum WITHOUT a condom	1	2	3	4	5	6

98. How much do condoms interfere with your sexual satisfaction when you are penetrated anally?

1—2—3—4—5—6—7—8—9—10
Not at all A lot

You have completed the interview. Thank you

Section II: Acceptability and Adherence Questionnaire

Table of Contents

Section:	Title:	Pages:
A	PRODUCT ACCEPTABILITY (VAGINAL USE)	26-27
B	PRODUCT ADHERENCE	28
C	APPLICATION PROCESS	29
D	APPLICATOR	30
E	CHANGES IN VOLUME USED	31
F	EXPERIENCES USING THE PRODUCT	32
G	SEXUAL INTERCOURSE USING THE PRODUCT	33-34
H	PARTNER'S REACTION	35-36
I	SEXUAL ENJOYMENT AFTER PRODUCT USE	37
J	CONDOMS	38
K	CHANGES IN SEXUAL PRACTICES DUE TO PRODUCT USE	39
L	LIKELIHOOD OF USING PRODUCT IN THE FUTURE	40
M	WILLINGNESS TO USE HIGHER VOLUME	41
N	POSSIBILITY OF COVERT USE	42

Study Staff enter:

Study Site ID: _____

Participant ID

--	--	--	--

Date

____	/	____	/	_____
MM		DD		YYYY

SECTION A. PRODUCT ACCEPTABILITY

1. Overall (i.e., considering all the episodes in which you used this gel) how much did you like the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

2. How much did you like the color of the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

3. How much did you like the taste of the gel?

[99] Don't know, I did not taste the gel

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

4. How much did you like the smell of the gel?

[99] Don't know, I did not smell the gel

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

5. How much did you like the consistency of the gel (how thick or thin it was)?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

6. How much did you like how the gel felt inside your vagina immediately after inserting it?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

7. How much did you like how the gel felt inside your vagina 30 minutes after inserting it?

[99] Don't know, I did not have the gel in my vagina for 30 minutes

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

8. Did the gel feel...

1—2—3—4—5—6—7—8—9—10
Too runny About right Too sticky

SECTION B. PRODUCT ADHERENCE

9. You were asked to insert the gel in your vagina twice a day for 14 days. However, different circumstances may have prevented you from doing it every time. Please indicate the total number of times you used the gel during the trial period.

_____ [range 0 – 30]

[SKIP Q10 IF Q9 IS = OR > THAN 28]

10. Please check all that apply if any of the following reasons prevented you from using the gel.

- ☐ I forgot
 - ☐ I did not have the gel with me
 - ☐ My sexual partner did not want me to use the gel
 - ☐ I did not like how the gel felt inside me
 - ☐ I had vaginal bleeding and decided to stop using the gel
 - ☐ I got my period
 - ☐ I had a burning sensation when using the gel
 - ☐ I had an itching sensation when using the gel
 - ☐ The gel kept leaking out
 - ☐ The gel was messy
 - ☐ I did not want to use the gel
 - ☐ Other
-

SECTION C. APPLICATION PROCESS

11. Overall, how much did you like putting the gel inside your vagina?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

12. How easy was it to put the gel inside your vagina?

1—2—3—4—5—6—7—8—9—10
Very Neither easy Very
difficult nor difficult Easy

13. Where were you at the time you put the gel inside your vagina? (Check all that apply.)

1. Bathroom
2. Bedroom
3. Other

14. What position did you typically use to put the gel inside your vagina? [CASI ALLOW ONLY ONE ANSWER.]

1. Kneeling
 2. Laying on side
 3. Standing
 4. Squatting or seated over toilet or tub
 5. Other
-

SECTION D. APPLICATOR

15. How much did you like the gel applicator (the device you used to deliver the gel inside your vagina)?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

16. Did you have any problems with the applicator used to deliver the gel in your vagina?

- 0. No
- 1. Yes

17. How easy would it be to carry this gel around if you needed to?

1—2—3—4—5—6—7—8—9—10
Extremely Neither easy Extremely
difficult nor difficult easy

18. How easy would it be for you to store this gel?

1—2—3—4—5—6—7—8—9—10
Extremely Neither easy Extremely
difficult nor difficult easy

19. How concerned would you be if someone found out that you have this gel in storage?

1—2—3—4—5—6—7—8—9—10
Extremely Not concerned
concerned at all

SECTION E. CHANGES IN VOLUME USED

20. Did you ever use less than the full amount of gel that came in each applicator?
[0] No [SKIP TO NEXT SECTION]
[1] Yes
21. If so, on how many occasions did you use less than the full amount of gel?
[1] 1 of the occasions
[2] 2 of the occasions
[3] On 3 or more of the occasions
22. When you used less than the full amount, about how much did you use, on average?
[1] Three quarters of the dose
[2] Half of the dose
[3] One quarter of the dose
23. Please indicate the reason why you used less than the full amount of gel? (check all that apply)
[1] It was too messy
[2] It leaked
[3] I was scared it could be bad for me
[4] I had trouble using the applicator
[5] Other
-

SECTION F. EXPERIENCES USING THE PRODUCT

24. Did you have any problems using this gel?

- [0] No
- [1] Yes

25. Did you experience any leakage after you used the gel?

- [0] None [SKIP TO Q 27]
- [1] Some
- [2] A lot

26. How much were you bothered by leakage?

1—2—3—4—5—6—7—8—9—10
Not at all Very much

27. Did you experience any gel leakage onto your underwear or bed sheets?

- [0] None [SKIP TO NEXT SECTION (Q 29)]
- [1] Some
- [2] A lot

28. How much were you bothered by gel leakage onto your underwear or bed sheets?

1—2—3—4—5—6—7—8—9—10
Not at all Very much

SECTION G. SEXUAL INTERCOURSE USING THE PRODUCT

During this study...

29. How many male partners did you have vaginal intercourse with? ____
By vaginal intercourse, we mean when a man or boy inserts his penis into your vagina.

IF Q 29 = 0, SKIP Q 30 - 34 AND GO TO Q 35.

30. How many times did you have vaginal intercourse? ____

31. How many times did you have vaginal intercourse using the gel with condoms? ____

32a. How many times did you have vaginal intercourse using the gel without condoms?

32b. How many times did you have vaginal intercourse using condoms without the gel?

33. How many times did you have vaginal intercourse using neither gel nor condoms?

34. With how many partners did you use the gel during vaginal intercourse? ____

NUMBER OF PARTNERS MUST BE \leq RESPONSE GIVEN IN Q 29. IF Q 34 > Q 29, SHOW PROMPT, "You indicated that you had vaginal intercourse with XX number of partners during this study. Yet, you just indicated that you used the gel during vaginal intercourse with XX number of partners. If this is incorrect, please re-enter your response. Otherwise, go back to question # 29 to correct your response to that question."

During this study...

35. How many male partners did you have anal intercourse with? ____

By anal intercourse, we mean when a man or boy inserts his penis into your anus (or butt).

IF Q 35 = 0, SKIP Q 36 - 40 AND GO TO NEXT SECTION (Q 41).

36. How many times did you have anal intercourse? ____

37. How many times did you have anal intercourse using the gel in your anus or rectum (or butt) with condoms? ____

38a. How many times did you have anal intercourse using the gel in your anus or rectum (or butt) without condoms? ____

38b. How many times did you have anal intercourse using condoms without the gel in your anus or rectum (or butt)?

39. How many times did you have anal intercourse using neither gel nor condoms?

40. With how many partners did you use the gel during anal intercourse? ____

NUMBER OF PARTNERS MUST BE \leq RESPONSE GIVEN IN Q 35. IF Q 40 > Q 35, SHOW PROMPT, "You indicated that you had anal intercourse with XX number of partners during this study. Yet, you just indicated that you used the gel during anal intercourse with XX number of partners. If this is incorrect, please re-enter your response. Otherwise, go back to question # 35 to correct your response to that question."

SECTION H. PARTNER'S REACTION

Let us remind you what we mean by a main, casual, and one-time male partner.

A main male partner is someone that you have sex with and you consider this person to be a person that you are serious about. A main partner is someone with whom you have an ongoing relationship and who you have sex with often - like a spouse, lover, or boyfriend.

A casual male partner is someone that you have sex with two or more times but do not consider this person to be a main partner to you. A casual partner is someone with whom you have sex occasionally on a casual basis.

A one-time male partner is someone with whom you had sex one time and don't plan to have sex with again.

41. With what type of partner did you use the gel during vaginal or anal intercourse?

Select all that apply.

- ☐ 1. Main partner
- ☐ 2. Casual partner
- ☐ 3. One-time partner

42. Were any of your partners aware that you used this gel?

[0] No [SKIP Q 43, GO TO INSTRUCTIONS ABOVE Q 44]

[1] Yes

43. Which type of partners was aware that you had used this gel? Select all that apply.

- ☐ 1. Main partner(s)
- ☐ 2. Casual partner(s)
- ☐ 3. One-time partner(s)

IF IN Q 41 CHOICE 1 (MAIN PARTNER) IS NOT SELECTED, SKIP Q 44 AND GO TO INSTRUCTIONS ABOVE Q 45.

44. Overall, how much did your most recent main partner like the gel?

[99] Don't know

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

IF IN Q 41 CHOICE 2 (CASUAL PARTNER) IS NOT SELECTED, SKIP Q 45 AND GO TO INSTRUCTIONS ABOVE Q 46.

45. Overall, how much did your most recent casual partner like the gel?

[99] Don't know

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

IF IN Q 41 CHOICE 3 (ONE-TIME PARTNER) IS NOT SELECTED, SKIP Q 46 AND GO TO NEXT SECTION (Q 47).

46. Overall, how much did your most recent one-time partner like the gel?

[99] Don't know

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

SECTION I. SEXUAL ENJOYMENT AFTER PRODUCT USE

47. How much did you like vaginal intercourse when using the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

48. Overall, how sexually satisfied were you with vaginal sex when using the gel?

1—2—3—4—5—6—7—8—9—10
Not A lot
at all

49. Overall, how sexually satisfied do you think your partner was after you used the gel? (If you used the gel with more than one partner, refer only to your most recent sexual partner.)

1—2—3—4—5—6—7—8—9—10
Not A lot
at all

50. How sexually satisfied do you feel with this partner in general when you have vaginal intercourse NOT using this study gel?

[88] Not applicable, I only had sex with this partner using this study gel

1—2—3—4—5—6—7—8—9—10
Not A lot
at all

SECTION J. CONDOMS

51. How much did you like having intercourse with condoms after inserting the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

52. How much did you like having intercourse without condoms after inserting the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

SECTION K. CHANGES IN SEXUAL PRACTICES DUE TO PRODUCT USE

53. Thinking about your experience having vaginal sex after using this specific gel, was this better, worse, or no different from other occasions when you did not use this gel?

[2] Better

[1] Worse

[0] No different [SKIP TO Q 55]

54. After you used the gel, was vaginal penetration easier?

[0] No

[1] Yes, penetration was somewhat easier

[2] Yes, penetration was much easier

55. Did you ever have to interrupt sex to apply the gel?

[0] No [SKIP TO NEXT SECTION]

[1] Yes

56. How much were you bothered by having to interrupt sex to apply the gel?

1—2—3—4—5—6—7—8—9—10
Not Very
at all Much

SECTION L. LIKELIHOOD OF USING PRODUCT IN THE FUTURE

GEL

57. If a gel were available that provided some protection against HIV, and it looked like the one you have used in this study, how likely would you be to use it every time you have vaginal intercourse?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

58. How likely would you be to use a gel that provided some protection against HIV on the occasions when you don't use condoms?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

59. How likely would you be to use a gel if you had to wait 30 minutes after application before having intercourse?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

60. How much would you be willing to spend on a gel per sexual occasion?

1. Half as much as one spends for condoms
2. About as much as one spends for condoms
3. Twice as much as one spends for condoms
4. Three times as much as one spends for condoms
5. Nothing, I would only use the gel if I could get it for free
6. Other

SECTION M. WILLINGNESS TO USE HIGHER VOLUME

Now, we do not yet know the volume of this gel that would be necessary to contribute to protect you against HIV during sex.

61a. Thinking about the amount of the gel you used, how likely would you be to use it every time you have vaginal intercourse if the same amount were required?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

61b. Thinking about the amount of the gel you used, how likely would you be to use it every time you have vaginal intercourse if only half as much were required?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

62. How likely would you be to use the gel every time you have vaginal intercourse if twice as much were required?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

SECTION N. POSSIBILITY OF COVERT USE

63. Would you want to use this gel without the knowledge of a main partner?

- [0] No
[1] Yes

64. In your opinion, how likely would it be that your main male partner will notice the gel during sexual intercourse?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

65. In your opinion, how likely would it be that your casual male partner will notice the gel during sexual intercourse?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

66. In your opinion, how likely would it be that your one-time male partner will notice the gel during sexual intercourse?

1—2—3—4—5—6—7—8—9—10
Extremely Neither likely Extremely
Unlikely nor unlikely Likely

You have completed the interview. Thank you

Section III: Study Burden Questionnaire

Table of Contents

Section:	Title:	Pages:
A.	STUDY BURDEN	45-46

Study Staff enter:

Study Site ID: _____

Participant ID

--	--	--	--

Date

____	/	____	/	_____
MM		DD		YYYY

SECTION A. STUDY BURDEN

The following questions refer to your feelings about participating in this study. Please tell us your level of agreement with the following statements

I was bothered by ...

1. The number of study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
2. The length of study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
3. Having to travel to study site
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
4. The waiting time at study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
5. Having the pelvic exams
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
6. Having the colposcopy (when the clinician looked inside my vagina with the magnifying instrument)
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

7. Not being able to use vaginal douches during the study
1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
8. Not being able to use vaginal lubricants during the study
1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
9. Having to apply study gel each day
1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
10. Having to use study gel when I had sex
1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
11. Having to use condoms when I had sex during the study
1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree
12. Did you ever have a problem understanding the written instructions on how to use the gel?
- [0] No
- [1] Yes
13. Did you feel that your compensation for participation in this study was...
1. Not enough
 2. About right
 3. More than enough

You have completed the interview. Thank you

Section Appendix 13-3

BEHAVIORAL MEASURES - SPANISH

Gracias por aceptar completar este cuestionario. Sus respuestas se mantendrán confidenciales. Para mantener privada la información que usted provee, no será recolectada información personal (nombre, dirección, número de teléfono) en este cuestionario. Antes de comenzar, hay algunas preguntas de práctica para que usted se familiarice con la forma en que el sistema funciona. Si tiene usted alguna pregunta sobre la forma de utilizar la computadora, el personal de la clínica puede ayudarle.

Si usted prefiere no responder a una pregunta, usted puede dejar en blanco una pregunta y hacer clic en el botón "SIGUIENTE" para ir a la próxima pregunta.

Haga clic en el botón "SIGUIENTE" para ir a la próxima pantalla.

Introducción [Página 2]

¡Muy bien! Usted puede pasar en cualquier momento a la siguiente pantalla oprimiendo "siguiente", o, regresar a la pantalla anterior haciendo clic en el botón "atrás (back)".

Haga clic en el botón "SIGUIENTE" para ir a la próxima pantalla.

Práctica [Pregunta 1]

Esta pregunta muestra la forma de responder preguntas utilizando recuadros. Intente contestar las siguientes preguntas moviendo la flecha (cursor) del ratón (mouse) y haciendo clic en los recuadros que concuerden con sus elecciones.

PREGUNTA DE PRÁCTICA:

¿Qué ingredientes le gusta comer en una ensalada? *Marque todas las que correspondan.*

[Opciones de Respuesta]

Huevos

Queso

Cubitos de pan (croutons)

Aderezo para ensalada

Zanahorias

Trozos de tocino

Este es un ejemplo de una pregunta en la cual se permite más de una respuesta: Si usted quiere modificar su respuesta, haga clic nuevamente en la respuesta que usted no desea para deseleccionarla y luego seleccione la(s) respuesta(s) que usted sí desea.

Práctica [Pregunta 2]

¿Le gusta el verano?

Sí

No

Este es un ejemplo de una pregunta de una sola respuesta:

Si usted quiere modificar su respuesta simplemente haga clic en la respuesta deseada.
