



Photographing Infants with Suspected Major Malformations

Kalendri Naidoo

MTN Regional Meeting 2013



Pre-visit Preparations

- Verify that the mother has given consent to take photos of the baby
- Schedule the visit for the early part of the morning so that the baby is alert
- Confirm staff member availability to assist with taking of photos
- ☐ Ensure batteries for camera are charged and camera is in working order
- Explain procedures and purpose of the photos to the mother



During the visit

- Ensure that the baby is well fed, happy and comfortable
- □ Ensure that there is no distractions in the background
- Ensure that there is sufficient lighting
- Ensure minimum use of the flash on the camera so that the baby does not get scared
- Ensure that the environment is warm
- □ Have staff available to assist to hold the baby in certain positions
- Ensure that the mother is calm and not anxious



During the visit

- □ Have the guide provided by FHI available for easy reference
- Try to take all photos as quickly as possible to minimize the baby getting agitated
- Minimize movement of the baby
- ☐ Ensure the camera is on the correct settings
- □ Remember sometimes you may need to "zoom in" or "zoom out" to get the best photo
- ☐ Take a few photos of each position so the best photo can be selected

After the visit

Photos are reviewed by the study co-ordinator.

□ The best photos are selected and labeled accordingly – using the FHI guide.

These photos are then uploaded to ATLAS.

































Acknowledgements

CAPRISA was established as part of the Comprehensive International Program of Research on AIDS (CIPRA) of the National Institutes of Health (NIH) (grant# AI51794)



CAPRISA is funded by:

- DAIDS, NIAID, National Institutes of Health
- US Agency for International Development (USAID) via FHI and CONRAD
- President's Emergency fund for AIDS Relief (PEPFAR)
- US Centers for Disease Control and Prevention (CDC)
- South African Department of Science and Technology (DST)
- Fogarty International Center, NIH
- Howard Hughes Medical Institute (HHMI)
- Gilead Sciences (Tenofovir API)
- Royal Netherlands Embassy and MIET
- MACAIDS Fund (via Tides Foundation)
- Technology Innovation Agency (LIFE*Lab*)

Past Funders:

 National Research Foundation, South Africa (NRF), CHAVI, SAAVI, European Commission – EDCTP, Johap – Oxfam, Doris Duke Charitable Foundation (DDCF), Global Fund against AIDS, TB & Malaria (GFATM)



NIAID (3UM1AI068633), NICHD and NIMH, all of the U.S. National Institutes of Health























Questions



